

Applic. No. 10/680,582
Amdt. dated January 30, 2006
Reply to Office action of October 28, 2005

Claim Amendments

Claim 1 (original): A lifesaving system for buildings
comprising:

a tubular device having opened crowns or circular
radial curved crowns attached to an inside wall of said
tubular device, wherein said crowns include flexible
vanes or fins through which inverted bell-shaped elements
pass, said elements larger in size than an inner size of
said crowns, said elements braked or slowed as they move
downwards,

a foam rubber element at an end of said tubular
device; and

an annular element having an outside perimeter
forming a tapered cone and curved, and which adapts to
the top a user's the chest and is positionable under said
user's armpits.

Claim 2 (original): The lifesaving system according to claim
1 wherein said tubular device is open lengthwise and
laterally.

Claim 3 (original): The lifesaving system according to claim
1 wherein said tubular device is rigid.

Applic. No. 10/680,582
Amdt. dated January 30, 2006
Reply to Office action of October 28, 2005

Claim 4 (original): The lifesaving system according to claim 1 wherein said tubular device is foldable and flexible.

Claim 5 (original): The lifesaving system according to claim 4 wherein said tubular device is formed of three or more cords carrying rings to hold said vanes or fins.

Claim 6 (original): The lifesaving system according to claim 1 wherein said tubular device and said crown have a circular cross-section.

Claim 7 (original): The lifesaving system according to claim 1 wherein said tubular device and said crown have an elliptical cross-section.

Claim 8 (original): The lifesaving system according to claim 1 wherein said vanes or fins form two ellipses for the fitting of shoes.

Claim 9 (original): The lifesaving system according to claim 1 wherein said bell-shaped elements have a lug or flange which is flexible.

Applic. No. 10/680,582
Amdt. dated January 30, 2006
Reply to Office action of October 28, 2005

Claim 10 (original): The lifesaving system according to claim
1 wherein at a bottom of said tubular device said vanes or
fins are closely positioned to reduce speed of a drop.

Claim 11 (cancelled).